



UNITED STATES PATENT AND TRADEMARK OFFICE

al
UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/727,713	12/04/2003	Charles Buchan Ritchie	8830-257 US (192507)	6927

7590 08/01/2007
Robert E. Cannuscio
DRINKER BIDDLE & REATH LLP
One Logan Square
18th & Cherry Streets
Philadelphia, PA 19103-6996

EXAMINER

NAGPAUL, JYOTI

ART UNIT	PAPER NUMBER
----------	--------------

1743

MAIL DATE	DELIVERY MODE
-----------	---------------

08/01/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/727,713

Applicant(s)

RITCHIE, CHARLES BUCHAN

Examiner

Jyoti Nagpaul

Art Unit

1743

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 11 June 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 11-18 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 11-18 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Amendment filed on June 11, 2007 has been acknowledged. Claims 11-18 are pending.

Response to Amendment

Rejection of Claims 11 and 13-18 as being anticipated by Visser (US 3,330,281) has been withdrawn in light of applicant's amendments.

Rejection of Claim 12 as being unpatentable over Visser has been withdrawn in light of applicant's amendments.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –


(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 11-18 are rejected under 35 U.S.C. 102(b) as being anticipated by Peterson (US 4,175,597).

Peterson teaches an irrigation solution device. The device comprises a first container (36) having a first chamber (46) capable of being filled with a fluid, a second container (88) having a second chamber (24) adapted to receive fluid from the first chamber (46). The second container (88) having a piston (refer below) slidably receivable within the first chamber (46) of the first container (36), wherein the piston (refer below) has a bore (refer below) that fluidly communicates with the first and second chamber. The bore (refer below) has a first portion (refer below) having a first

Art Unit: 1743

diameter and a second portion (refer below) having a second diameter which is smaller than the first diameter, wherein on insertion of the piston (refer below) into the first chamber (46) of the first container (36), fluid is displaced from the first chamber (46) to the second chamber (24). (See Figures 1-9)



With respect to Claim 12, the piston (refer above) and the second container (88) are integrally formed.

With respect to Claim 13, the first portion (refer above) is adjacent the second chamber (24) and the second portion (refer above) is remote from the second chamber (24).

With respect to Claim 14, the device further comprises a sealing means (plug (75) in Figure 9) adapted to seal the first and second containers together.

With respect to Claim 15, the first (36) and second container (88) are adapted to seal together as the fluid is displaced to the second chamber (24).

With respect to Claim 16, the device further comprises wherein at least one portion of the second chamber (24) is adapted to allow fluid to be removed therefrom.

With respect to Claim 17, the device further comprises cutting means (28) adapted to remove a part of the apparatus such that the stored fluid may be removed from the second chamber (24).

With respect to Claim 18, it is inherent that the fluid storage apparatus is disposable.

Response to Arguments

3. Applicant's arguments with respect to claims 11-18 have been considered but are moot in view of the new ground(s) of rejection. Refer above.

Conclusion

4. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 1743


the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jyoti Nagpaul whose telephone number is 571-272-1273. The examiner can normally be reached on Monday thru Friday (8:00-4:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on 571-272-1267. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JN


Jill Warden
Supervisory Patent Examiner
Technology Center 1700